شركة عيادات صفا مكة-حي الوزارت
SAFA MAKKAH
POLYCLINIC CO. - HARA

Behind Chamber of Commerce
Riyadh, Saudi Arabia
Tel.# +966 011 4112128
Web site: harasafamakkah.com



MEDICAL FITNESS REPORT

FOR CONTRACTORS

06 AUG. 2026

Name	: Muhammad Mubashar Manzoor Ali	Date of Examination	: 04 September 2026
Age / Gender	: 36 Years / Male	Medical Record No.	: MR-9643978-001
ID / Passport No.	: 2340643978	Date of Issue	: 06 September 2026
Nationality	: Pakistani		

MEDICAL FITNESS REQUIREMENTS FOR CONTRACTORS

1. Medical History (Disclosure Form)
No significant past medical history.
No known drug allergies.
No history of diabetes, hypertension, tuberculosis or major surgery.

2. General Physical Examination

Height	: 172 cm
Weight	: 72 kg
General Appearance	: Healthy
Systemic Examination	: Within normal limits

3. Vital Signs, BMI

Blood Pressure	: 122 / 76mmHg
Pulse	: 72 bpm
Respiratory Rate	: 16 /min
Temperature	: 36.8 °C
BMI	: 23.5 kg/m² (Normal)

4. ECG
Normal sinus rhythm.
No significant abnormalities detected.

5. CXR
Lungs clear.
Heart size within normal limits.
No active cardiopulmonary disease.

6. Abdominal / Pelvic Ultrasound
Liver, gallbladder, pancreas, spleen, kidneys and urinary bladder appear normal.
No abnormal findings.

7. Vision & Color Vision Test

Visual Acuity	: 6/6 (Both Eyes)
Color Vision	: Normal

8. Audiometry
Hearing within normal limits bilaterally.

9. Spirometry
Lung function normal.
No evidence of obstructive or restrictive airway disease.

10. LABORATORY RESULTS

CBC (Complete Blood Count) B +ve

Test	Result	Reference Range
Hemoglobin	14.8 g/dL	13.5 – 17.5 g/dL
WBC	6.9 ×10⁹/L	4.0 – 11.0 ×10⁹/L
Platelets	255 ×10⁹/L	150 – 450 ×10⁹/L
RBC	4.9 ×10¹²/L	4.5 – 6.0 ×10¹²/L

Glucose & HbA1c

Test	Result	Reference Range
Fasting Blood Glucose	92 mg/dL	70 – 100 mg/dL
HbA1c	5.3 %	4.0 – 5.6 %

Renal Function Tests

Test	Result	Reference Range
Creatinine	0.9 mg/dL	0.6 – 1.3 mg/dL
BUN	14 mg/dL	7 – 20 mg/dL

Liver Function Tests

Test	Result	Reference Range
ALT (SGPT)	24 U/L	10 – 40 U/L
AST (SGOT)	22 U/L	10 – 40 U/L
Total Bilirubin	0.8 mg/dL	0.2 – 1.2 mg/dL

Thyroid Function Tests

Test	Result	Reference Range
TSH	2.1 µIU/mL	0.4 – 4.0 µIU/mL
Free T4	1.2 ng/dL	0.8 – 1.8 ng/dL

Lipid Profile

Test	Result	Reference Range
Total Cholesterol	172 mg/dL	< 200 mg/dL
Triglycerides	118 mg/dL	< 150 mg/dL
HDL Cholesterol	52 mg/dL	> 40 mg/dL
LDL Cholesterol	96 mg/dL	< 130 mg/dL

Urine Analysis

Test	Result	Reference Range
Color	Yellow	Yellow
Appearance	Clear	Clear
Protein	Negative	Negative
Glucose	Negative	Negative
Blood	Negative	Negative
WBC	0 – 2 /HPF	0 – 5 /HPF
RBC	0 – 1 /HPF	0 – 2 /HPF

FINAL ASSESSMENT

FIT FOR WORK

This person is medically fit to perform the assigned duties.

Dr. Sarah Khan

Dr. Sarah Khan, MBBS
General Physician
Registration No.

Fitness Medical
اللياقة الطبية

Authorized Stamp

Safa Makkah Polyclinic Riyadh
اللياقة الطبية
س.ب: ٢٠٥٥٠٠٦٦١٢
C.R. 2055006612
MEDICAL FITNESS

تأكيد التقرير الطبي، يرجى التحقق من رمز الاستجابة السريعة المعروض على التقرير.
Medical Report Confirmation, Please Check QR Code display on Report.

هذا تقرير إلكتروني مُولد، لا حاجة لتوقيع، تم التحقق منه عبر رمز الاستجابة السريعة (QR)
This is a generated electronic report, no signature is required, it has been verified via a QR code.